

PROFILE

GENERAL INFORMATION

Population by Province
Political Subdivision

Land Utilization by Sector
Land Utilization for Rice & Corn

Fishery Land Utilization

POPULATION	2,733,376	2nd lowest
LAND AREA (Km ²)	26,132.01	4th largest
POPULATION DENSITY (Km ²)	104.7	2nd lowest
PEACE AND ORDER (CR)	37 / 1000	3rd most peaceful

POPULATION BY PROVINCE, BY DISTRICT CY 2000

Batanes	14,962
Cagayan	962,102
District I	347,619
District II	246,894
District III	367,589
Isabela	1,240,010
District I	308,567
District II	300,116
District III	319,269
District IV	314,699
Nueva Vizcaya	370,010

Quirino

149,292

Annual Growth Rate - 1.51%

** Projection*

**POLITICAL SUBDIVISION
PROVINCE**

5

CITY

2

MUNICIPALITY

91

BARANGAY

2,349

BATANES

**6
29**

CAGAYAN

**1
29
820**

ISABELA

**2
36
1,061**

N. VIZCAYA

**15
275**

QUIRINO

**6
132**

AGRICULTURE AND FISHERY LAND AREA
TOTAL AREA

1,028,192 has.

CROPS LAND

625,333 (60.8%)

PASTURE LAND

400,380 (38.9%)

FISHPONDS

2,416 (0.3%)

COASTLINE

890 kms.

Irrigated

218,031

Rainfed

91,389

Yellow

167,953

White

22,292

Brackish water

1,573

Freshwater

1,556

**PROVINCE
IRRIGATED
RAINFED
UPLAND
TOTAL
HECTARES**

Batanes

**188.78
188.78
189.60**

Cagayan

**71,054.98
47,781.47
2,178
121,014.45
34,763.98**

Isabela

**127,620.13
24,164.65
6,494.98
158,279.76
128,272.70**

N. Vizcaya

**26,669.59
3,482.13
1,077.24
31,228.96
9,920.47**

Quirino

**7,303.30
1,343.75
1,502.00
10,149.05
17,098.25**

**PROVINCE
FISHPOND AREA (HAS.)
BRACKISHWATER
FRESHWATER**

Batanes

Cagayan	1,758
	1,255
	503
Isabela	1,145
	318
	857
N. Vizcaya	95
	95
Quirino	131
	131

Climate

The climate of Cagayan Valley Region based on Modified Coronas Classification was Type III and Type IV. Type III is a climate type w/c seasons not very pronounced; relatively dry from November to April and wet during the rest of the year. And Type IV has rainfall more or less evenly distributed thought the year.